



The
Patent
Office

PCT/GB 00 / 00882

#53




INVESTOR IN PEOPLE

09/936175

5/10

GB 00/882




The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.




Signed

Dated 20 MAR 2000

**PRIORITY
DOCUMENT**

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)



01APR99 E436971-4 D03052
P01/7700 0.00 - 9907438.7

The Patent Office
Cardiff Road
Newport
Gwent NP9 1RH

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

1. Your reference

A25721

2. Patent application number
(The Patent Office will fill in this part)

9907438.7

31 MAR 1999

3. Full name, address and postcode of the or of each applicant (underline all surnames)

**BRITISH TELECOMMUNICATIONS public limited company
81 NEWGATE STREET
LONDON, EC1A 7AJ, England
Registered in England: 1800000**

Patents ADP number (if you know it)

1867002

If the applicant is a corporate body, give the country/state of its incorporation

UNITED KINGDOM

4. Title of the invention

METHOD AND APPARATUS FOR AUTOMATED SOFTWARE TESTING

5. Name of your agent (if you have one)

EVERSHED, Michael

"Address for Service" in the United Kingdom to which all correspondence should be sent (including the postcode)

**BT GROUP LEGAL SERVICES
INTELLECTUAL PROPERTY DEPARTMENT
HOLBORN CENTRE
120 HOLBORN
LONDON, EC1N 2TE**

Patents ADP number (if you know it)

1867001

6990493001

If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day/month/year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

YES

- a) any applicant named in part 3 is not an inventor, or
- b) there is an inventor who is not named as an applicant, or
- c) any named applicant is a corporate body.

(See note (d))

Patents Form 1/77

Enter the number of sheets for any of the following items you are filing with this form.
Do not count copies of the same document

Continuation sheets of this form

Description 7

Claim(s) 2

Abstract 1

Drawing(s) 5 + 5



-
10. If you are also filing any of the following, state how many against each item

Priority Documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)

Request for preliminary examination and search (*Patents Form 9/77*)

Request for substantive examination (*Patents Form 10/77*)

Any other documents
(please specify)

-
11. I/We request the grant of a patent on the basis of this application.
Signature(s) Date:

Michael Evershed

30 March 1999

EVERSHED, Michael, Authorised Signatory

-
12. Name and daytime telephone number of person to contact in the United Kingdom

Lisa Colton

0171 492 8146

Method and Apparatus for Automated Software Testing

The present invention relates to software testing and in particular to unit testing software during its operation. The invention can be applied advantageously, but not
5 exclusively, to software produced using object oriented programming languages such as C + + , Corba or Java.

Automated testing of software during its development is known. The tests are designed as part of a software development process and these are then programmed
10 into specialised test tools and executed automatically. Many tools are commercially available to support this type of software development technique.

Software that checks itself during operation is also known and has been developed and applied widely. This may involve checking pre and post-conditions or assertions
15 and looking for exceptions at appropriate points in the software during its normal execution (See "Self Testing Systems" - M Aylett and P Utton, BT Technology Journal 1992).

Known testing systems enable end-to-end tests to be run on operational software
20 systems in order to test out the operation of individual facilities. However, there are currently no testing systems that easily enable low level tests to be run on a fully integrated and operational system. These tests are often termed "unit tests" and are applied directly to one or more individual units of code (e.g. a function, method, module or agent). This is in contrast to end-to-end tests of a system that run from a
25 system or user interface. Unit tests are currently run manually or automatically during development before integration.

According to the present invention there is provided a method of testing an operational integrated software system, said system comprising a plurality of
30 software elements, said method comprising the steps of:

a) automatically registering each active element of software in a unit

- b) associating a set of test criteria with each registered element of software;
- c) selecting an element registered in the registry and testing the element in accordance with the associated set of test criteria; and
- 5 d) capturing the results of the testing of the element and comparing them to the associated test criteria.

This provides the advantage of enabling unit testing to be carried out on an integrated software system during its operation that allows quick identification of
10 latent or newly introduced faults in the software.

Figure 1 is a schematic representation of a computer loaded with software embodying the present invention;

Figure 2 is a functional block diagram of the program elements that comprise the
15 software indicated in Figure 1;

Figure 3 is a flow diagram illustrating part of the processing of the software shown in Figure 2;

Figures 4a and 4b are tables illustrating the data structures used and created by the program elements shown in Figure 2; and

20 Figure 5 is a flow diagram showing a further part of the processing of the software shown in Figure 2.

Figure 1 illustrates a conventional computer 101 such as a PC, running a conventional operating system 103 such as Windows and having a number of
25 resident application programs 105 such as a word processing program, a network browser and e-mail program or a database management program. The computer 101 also includes a software development application program 107 that enables the user to write and compile new programs and a testing program 109 that enables testing to be carried out on programs. The computer 101 is also connected to a conventional
30 disc storage unit 111 for storing data and programs, a keyboard 113 and mouse 115

from the computer 101. The computer 101 also has access to external networks (not shown) via a network card 121.

In conventional object oriented programming the programs are divided into conceptual
5 sub-units called objects. Each object carries out predetermined functions much in the same way that a sub-routine might in conventional programming. Objects carry out processing of data and may co-operate with other objects to carry out some functions. Such co-operation is carried out via interfaces between the objects called arguments that are provided for passing commands, requests and data between the
10 objects.

Each object is categorised into a class of objects. In fact, it is the class of an object that determines the functions and performance of an object. An object itself is an embodiment (or instance) of the class and can be created to carry out its function
15 and then deleted once the function is complete. The creation of an object for a given class is carried out under the control of a constructor algorithm. In addition, the corresponding destructor for each class is arranged to remove the entry when the corresponding object is deleted.

20 Each object comprises one or more methods. Each method is a subroutine that together with other methods provides the functions of the object itself. Methods may co-operate with other objects to carry out functions/processing on behalf of the method. The methods are also defined by the class of the object as are the arguments of the object.

25

In summary, objects are functional units of software code whose functions are defined by the class of which a given object is an instance. Objects can have a number of states that change depending on the object's interaction with other objects or data. The combined interaction of the objects that make up a computer
30 program provide the functions of the program.

With reference to figure 2, the testing program 109 comprises five main components; a tester 201, an object registry 203, a report generator 205, a test criteria store 207 and a parser 209. The tester 201 carries out the testing of each object in the software program under test and passes the results of the tests to the report
5 generator 205. The object registry 203 provides the tester 201 with a list of the objects that form part of the program at any given time (as noted above, objects may be created and destroyed during the operation of a program). The test criteria store 207 is used to hold the data and/or instructions necessary to test each of the objects registered in the object registry 203. In the present embodiment the data and/or
10 instructions held in the test criteria store 207 are immediately usable by the tester 201. However, in some cases the data may be coded using a scripting language. In this case the parser 209 would be used to convert the data/instruction into a form usable by the tester 201. The functions and interactions of the five main components will be described in further detail below.

15

Figure 2 also shows a program object 211 undergoing testing by the tester 201. The object 211 is a standard object but has three additional areas of functionality that allow it to interact automatically with the testing program 109. The added functionality is provided in the present embodiment by two special methods 213,
20 215 added to each class definition used in the program under test and by additions to the functionality of the constructor and destructor algorithms for the program.

With reference to figure 3, the constructor is arranged, on the instantiation of an object for a given class, to create an entry in the object registry 203 for the new
25 object (see step 301 of chart C). Then, at step 303, the constructor enters the identification for the object in its entry in the registry 203 (each object, when it is constructed by the constructor, is assigned a unique identifier). At step 305, the

As noted above, when an object is no longer required it is deleted by a destructor algorithm. In the present embodiment, the destructor algorithm is also arranged to carry out the steps shown in chart D of Figure 3. At step 309 the destructor algorithm identifies the entry in the registry 203 that corresponds to the object being
5 deleted and at step 311 removes the entry from the registry 203.

With reference to figure 4a, each class of object has a test criteria file that is entered into the test criteria store 207 when the first object of that class is entered in the object registry 203. The criteria are created during the design and implementation of
10 the computer program under test and their precise construction is dependent on the testing methods being used. In the present embodiment, an entry is made in the store 207 for each class 401. For every class, an entry 403 is made for each method within the class. For each method 403, a definition of the input 405 to the method, the output 407 from the method, the start state 409 of the object when the method
15 is performed and the end state 411 of the object on completion of the method is entered in the store 207.

The operation of the tester 201 will be described now with reference to Figure 5 in which at step 501 the tester 201 awaits a command to commence testing. In the
20 present embodiment the command is given by a user. Once the command has been received then, at step 503, the tester 201 chooses the class of object to be tested from the registry 203. In the present embodiment, the system responds to a user

tester 201 identifies the appropriate test criteria from the test criteria store 207 and at step 509 runs the chosen method against the identified test criteria.

At step 511, the tester 201 uses the second special method 215 to capture the
5 results of the test run on the method. The precise data that is captured is determined by the test criteria and may include the output data from the tested method, the resulting state of the object that the method is a part of and a list of other object or methods that the chosen method interacted with as a result of the test. At step 513, the test data collected in the previous step is compared to the test criteria and the
10 results of the comparison are passed to the report generator 205 for inclusion in a test report. After step 513, the tester returns to step 501 to await a further test instruction.

The tester program 201 is designed to carry out its testing procedures on a program
15 while the program is in operation. In some operating systems the testing program 201 could be arranged to run as a background process or be arranged to operate when there is a predetermined amount of spare processor resource available.

As will be understood by those skilled in the art, in some systems it may be
20 necessary to include means for preventing changes to the run-time environment being made during the testing of a software element. These may be in the form of run-time test switches that are similar in function to a debug compiler switch. In some systems it may be necessary to include a means to restore the state of any persistent variables (variables that retain state after execution) affected by the tests. This can

The tester program is preferably written in the same language as the program that it is testing. However, although the embodiment above describes the testing of an object oriented programming language, it will be understood by those skilled in the art that the principles of the invention are also applicable to other programming languages. Other such languages may be modular programming languages (such as Modula-2) or sequential programming languages (such as Pascal). It should also be understood that the term "object" used in the this description is to be construed broadly so as to cover functions, methods, modules or agents.

10 As will be understood by those skilled in the art, the tester program 109 can be contained on various transmission and/or storage mediums such as a floppy disc, CD-ROM, or magnetic tape so that the program can be loaded onto one or more general purpose computers or could be downloaded over a computer network using a suitable transmission medium.

15

Unless the context clearly requires otherwise, throughout the description and the claims, the words "comprise", "comprising" and the like are to be construed in an inclusive as opposed to an exclusive or exhaustive sense; that is to say, in the sense of "including, but not limited to".

20

CLAIMS

1. A method of testing an operational integrated software system, said system comprising a plurality of software elements, said method comprising the steps of:
5
a) automatically registering each active element of software in a registry;
b) associating a set of test criteria with each registered element of software;
c) selecting an element registered in the registry and testing the element
10 in accordance with the associated set of test criteria; and
d) capturing the results of the testing of the element and comparing them to the associated test criteria.
2. A method according to Claim 1 in which each element of software is arranged
15 to automatically register an identification of itself in the registry.
3. A method according to Claims 1 or 2 in which each element of software is arranged to capture the results of its testing.
- 20 4. A method according to any of Claims 1 to 3 further comprising the step of automatically providing a report on the results of the testing.
5. A method according to any preceding claim in which the test criteria are defined using a scripting language and said method further comprises the step of
25 parsing the test criteria to convert them into a form for testing against.
6. An apparatus for testing an operational integrated software system, said system comprising a plurality of software elements, said apparatus comprising:
30 a) means for the automatic registration of each active element of

- b) means for associating a set of test criteria with each registered element of software;
- c) means for selecting a registered element of software and testing the element in accordance with the associated test criteria; and
- 5 d) means for comparing the results of the testing of the element against the associated test criteria.

7. An apparatus according to Claim 6 in which each element of software is provided with means for automatically registering itself.

10

8. A method according to Claim 6 or 7 in which each element of software is provided with means for capturing the results of its testing.

9. An apparatus according to any of Claims 6 to 8 further comprising means for
15 producing a report of the results of testing an element of software.

10. An apparatus according to any of Claims 6 to 9 in which the test criteria are defined using a scripting language and the apparatus further comprises means for parsing the test criteria to convert them into a form for testing against.

20

11. A data carrier loadable into a computer and carrying instructions for causing the computer to carry out the method according to Claim 1.

12. A data carrier loadable into a computer and carrying instructions for enabling

ABSTRACT**Method and Apparatus for Automated Software Testing**

A method and apparatus are disclosed for testing software at a low level during its
5 operation. The system comprises a registry 203, a test criteria store 207, a report
generator 205 and a tester 201. The systems selects elements of software from a
program under test, tests the element against predetermined test criteria and reports
the results.

10 Figure (2)

Figure 1







Figure 2





Class	Method	Input	Output	Start State	End State

Figure 4b

413	415	417
Class	Method ID	Method description (input, output & data types)

Figure 5

